



Controlled Atmosphere Packaging Machines

Fresh Packaging

- Flush up to 3 gases
- Sensor based system for high accuracy
- Micro-controller based.
- Fully see through lid.
- Four preset programs.
- Digital Display.
- Relatively Silent Mist Free Pump
- Stainless steel contact parts.
- Emergency stop button.
- Customized versions available.
- Electrical protection systems.
- Initial fresh air flushing for pouch protection.
- Independent control for individual jaws.
- Power failure air intake system.
- Fully stainless steel option.





Digital Control Panel

- We customize as per your requirement.
- Stainless steel versions are available.
- Special paint colour is available.

Technical Specification

Model	Chamber Dimension			Sealing		N	Power		Dimensions			Weight Kg
	L1	W	H	L2	W		V	W	L	B	H	
QS 400 CAP 3G	520	456	124	425	3	2	240	1800	655	690	965	167
QS 300 CAP 3G	620	456	124	325	3	2	240	1600	755	690	965	177
QS 500 CAP 3G	500	456	124	525	3	2	240	2200	755	69	965	177



Sevana Electrical Appliances Pvt Ltd

Kizhakkambalam P.O., Ernakulam Dist

Kerala, India-683562

Phone: +91-484-2680780(8 Lines)

Fax: +91-484-2680680

Web: www.sevana.Com

Email: mail@sevana.Com

60 Service Centers
12 Offices
600 Channel Partners

To locate our channel partner near You, contact us.

An ISO 9001:2000 Certified Company